



#### ESS EYE PRO IS BATTLEFIELD PROVEN.

Military personnel worldwide rely on ESS. Their brave deeds feed our passion for combining performance, style, and safety throughout our line of advanced eyewear. ESS Eye Pro exceeds the most stringent military testing standards and is the only brand of eye protection issued to all branches of the U.S. Department of Defense.

Trust ESS for battle-proven toughness and innovations born from unyielding research in military eye protection. Our strong warranty, unique **Lens Contingency Program**<sup>TM</sup>, and stand-alone replacement parts are all built-in assurances that your eye pro can withstand your demanding lifestyle. ESS helps keep you on target and your eyes protected.


#### DAMAGED YOUR ESS LENSES? NO PROBLEM

With the ESS Lens Contingency Program<sup>™</sup>, there's a one-time remedy for the scratchedlens blues: for every pair of lenses that you buy, you can get 50% off the retail price of a new set of lenses. Simply replace your damaged goods with a like-kind lens and put your eye pro back into action. If you're hard on your gear, the Lens Contingency Program<sup>™</sup> is like a new lease on sunglass life. For details visit, <u>www.esseyepro.com/contingency</u>

- -2 ESS BALLISTIC TESTING ANSI & MIL SPEC STANDARDS
- 4 ESS OPTICAL STANDARDS HIGHLIGHTED ESS VLT LENS CHART
- -6 CROWBAR™ SUNGLASSES
- ROLLBAR™ SUNGLASSES
- -10 CDI<sup>TM</sup> SUNGLASSES CDI MAX<sup>TM</sup> SUNGLASS
- 1-12 58™ SUNGLASSES
- 13-14 CREDENCE™ SUNGLASSES
- 5-16 CROSSBOW® EYESHIELDS
- 17-18 SUPPRESSOR™ EYESHIELDS
- 9 20 CDOSCHAIDIM EVECHIEI DS
- 21-22 CROSSBLADE™ EYESHIELDS
- 224 CBOSSBOW AS EVERHISING
- 25-26 ICE™ & ICE NARO™ EYESHIELDS
- 27-28 INFLUX™ GOGGLES
- 9-30 PIVOT™ SERIES GOGGLES
- 31-32 PROFILE NVG™ GOO
- 2 24 CTDIVEDIM CEDIES COCCI ES
- 35-36 STRUCTURAL FIRE GOGGLES
- -38 WILDLAND FIRE GOGGLE
- -30 WIEDLAND FIRE GOGGLES
  -40 PRESCRIPTION EYEWEAR SOLUTIONS
- 11-42 U.S. NSN'S APEL PRODUCTS
- 13.11 INTERNATIONAL MATCHINGS ESS CIVES BACK

3-44 INTERNATIONAL NATO NSN'S • ESS GIVES BACK

### IMPACT SPECIFICATIONS



#### HIGH VELOCITY IMPACT

ESS protective eyewear surpasses the test for high-velocity impact protection as defined by the American National Standards Institute (ANSI). Per ANSI Z87.1, a quarter-inch steel ball is shot from three different heights, and at seven different angles. To pass the high-velocity test, no contact between the lens and eye is permitted during impact. In addition, no frame parts or lens fragments may be ejected during impact.

#### HIGH MASS IMPACT

ESS protective eyewear also surpasses the protection requirements for highmass impact. Within ANSI Z87.1, the high-mass impact test requires that the lens be hit by a 500-gram metal spike (over a pound of weight) dropped from a height of 51.2 inches (over four feet). To pass the test, no frame parts or lens fragments may be ejected during impact.


# WHAT HAPPENS TO ANSI RATED EYE PRO WHEN IT IS TESTED TO THE MIL-SPEC STANDARD? SEE THE VIDEO AT ESS'S YOUTUBE CHANNEL: www.youtube.com/ESSEyePro







#### ANSI Z87.1 HIGH VELOCITY IMPACT TESTING



Spectacle - Minimum Velocity
.25 in diameter steel ball 150 Ft/sec

Goggle - Minimum Velocity
.25 in diameter steel ball 250 Ft/sec

#### U.S. MIL SPEC MIL-PRF-32432 STANDARDS

CHISEL TIP PROJECTILES USED IN MIL SPEC TESTING.

SPECTACLES STANDARD
.15 caliber (at. 640-660 ft/sec.)
.22 caliber (at. 550-560 ft/sec.)

#### U.S. MIL SPEC MIL-PRF-32432

ESS protective eyewear surpasses the safety and ballistic testing standards found in MIL-PRF-32432. The U.S. military standard requires that ballistic eyewear must be able to withstand up to:

.15 caliber at 640-660 ft/sec for spectacles .22 caliber at 550-560 ft/sec for goggles.

# THE US MILITARY STANDARD IS OVER 6 TIMES THE KINETIC ENERGY LEVEL OF ANSI Z87.1 TESTING STANDARD. ESS EYE PRO EXCEEDS U.S. MILITARY STANDARDS.







# **ESS OPTICAL CLARITY**

#### **ESS SURPASSES ANSI STANDARDS FOR OPTICS**

#### PRISMATIC POWER ANSI Z87.1 OPTICS TEST #9.5

Prismatic Power is the measurement of how much light bends through a lens. The effect of excessive prism is that objects viewed through a lens aren't actually where they appear to be. The test also measures the prism imbalance in the left and right sides of the lens, which causes the eyes to fatigue as they work to overcome the artificial "double vision" induced by an unbalanced lens.

#### NON-COMPLIANT OPTICS



#### ANSI Z87.1 STANDARD



#### **ESS STANDARD**



A laser fixture is set up 30 feet from the NBS target and is fired through each lens at the target. The better the optics, the less bending of the laser beam is observed; a lens without induced prism will allow the laser's path to continue directly at the center of the NBS target. Bear in mind when viewing the amount of prism that the effects of the distortion are more significant at distances greater than 30 feet.

#### REFRACTIVE POWER ANSI Z87.1 OPTICS TEST #9.4

Lens refraction is a measure of what many people refer to as distortion or blurriness. The ANSI Z87.1 Refractive Power test requirements allow for a moderate amount of refraction in a safety lens. The lines in the NBS Definition Pattern are used to measure this lens characteristic.

#### NBS DEFINITION PATTERN



#### NON-COMPLIANT OPTICS



ESS lenses are held to a higher level of performance than the ANSI Z87.1 minimum refractive power standard, which is why objects look clearer through ESS lenses.

#### ANSI 787.1 STANDARD



#### ESS STANDARD



### LENS CHART

#### (VLT) - VISIBLE LIGHT TRANSMITTANCE

Visible Light Transmittance (VLT) represents the percentage of light that passes through a lens. For example, a lens with a VLT of 23 admits 23% of visible (non-UV) light, filtering out the remaining 77%. The lower the VLT, the darker the lens. Regardless of VLT, all ESS lenses provide 100% UVA/UVB protection.



#### CLEAR VLT: 90

For use indoors or at night. Has no influence on contrast or color.



#### PHOTOCHROMIC VLT: 86-24

Technology for all light conditions - Lens ages from dark arav to clear



Lens with Light Adapting



### VLT: 85

For flat to very low light. A high-contrast lens that helps bring out definition.



#### HI-DEF BRONZE VLT: 62

For flat to low light. Filters blue light to boost contrast & enhance depth perception in overcast or shaded conditions.



#### HI-DEE COPPER VLT: 32

For flat to medium light. Improves contrast & depth perception of blues & greens.



#### MIRRORED COPPER VLT: 23

For flat to bright light. Improves contrast & depth perception of blues & areens. while reflecting glare.



#### SMIKE GRAY VLT: 15

all-purpose davtime lens with unbiased influence on color



#### POLARIZED GRAY VLT: 15

For medium to bright light. An For extremely bright light & reflective surfaces. Is the most effective at cutting glare, has unbiased influence on color.



#### MIRRORED SILVER VLT: 14

For medium to extremely bright light. Similar to Mirrored Gray, but with a heavier mirrored finish.



#### MIRRORED BLUE VLT: 13

For medium to extremely bright light. Similar to Mirrored Silver, but with a reflective blue mirrored finish.





#### MIRRORED GRAY VLT: 12

For medium to extremely bright light. An all-purpose lens that reflects glare with unbiased influence on color.



#### POLARIZED MIRRORED BLUE VLT: 11

For extremely bright light & reflective surfaces. Polarized reflective blue mirrored finish.



## POLARIZED MIRRORED GRAY

For intense, blinding sun & reflective surfaces. Is the most effective at cutting glare, has unbiased influence on color.



BUILT FOR BATTLE. TOUGH FOR LIFE.™

# CROWBAR™

#### INTERCHANGEABLE-LENS SUNGLASS









#### PRODUCT DESCRIPTION

Meet the lightweight and durable Crowbar™ interchangeable-lens sunglass from ESS. Featuring a frameless bottom lens design and innovative Lens Gate™ that makes lens exchanges quicker and field of view greater than ever. The military-grade polycarbonate lens material delivers crisp optics, plus a broad range of ballistic protection. A light and balanced fit that won't interfere with hats, helmets, hearing pro or comms gear.

Small-to-Medium Fit

#### LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166 EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA

### RAPID LENS EXCHANGE



Crowbar's frameless bottom provides increased field of view, Lens Gate allows for rapid lens exchange

### CROWBAR™ CONFIGURATIONS



### CROWBAR™ SILVER LOGO KIT

Black Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: EE9019-02



#### CROWBAR™ TACTICAL KIT

Black Frame with Black ESS Logo Clear, Smoke Gray, & Mirrored Copper Lenses Model #: EE9019-04



#### CROWBAR™ SUBDUED LOGO KIT

Black Frame with Black ESS Logo Clear & Smoke Gray Lenses Model #: EE9019-01



#### CROWBAR™ POLARIZED MIRRORED GRAY KIT

Black Frame with Silver ESS Logo Polarized Mirrored Gray Lenses Model #: EE9019-03



#### CROWBAR™ TERRAIN TAN KIT

Terrain Tan Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: EE9019-05



#### CROWBAR™ POLARIZED MIRRORED BLUE KIT

Black Frame with Satin Black ESS Logo Polarized Mirrored Blue Lenses Model #: EE9019-11

rowbar Lens Tints		<u>VLT</u>	Model #
ji de	Clear	90%	101-315-001
1	Hi-Def Yellow	85%	101-315-004
g/b	Hi-Def Bronze	62%	101-315-005
g/b	Mirrored Copper	23%	101-315-008
-	Smoke Gray	15%	101-315-002
g/b	Mirrored Gray	12%	101-315-007
1	Polarized Mirr. Blue	11%	101-315-006
-	Polarized Mirr. Gray	9%	101-315-003

### ROLLBAR™

#### INTERCHANGEABLE-LENS APEL SUNGLASS













Photo courtesy U.S. DoD.

#### PRODUCT DESCRIPTION

The Rollbar™ sunglass from ESS allows for rapid lens exchanges with the auto-locking Rollbar Lens Gate™. The sleek-yet-rugged design is built to excel in the most grueling environments. ESS military-grade polycarbonate lens material delivers crisp optics, plus a broad range of ballistic protection. A balanced fit and low-drag temple arms that won't interfere with hats, helmets, hearing pro or comms gear.

#### Medium-to-Large Fit

#### LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166 EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA

#### RAPID LENS EXCHANGE



The Rollbar's Lens Gate allows lenses to be swapped out swiftly and securely.

#### ROLLBAR™ CONFIGURATIONS



#### ROLLBAR™ SUBDUED LOGO

Black Frame with Black ESS Logo Clear & Smoke Gray Lenses Model #: EE9018-02



#### ROLLBAR™ TACTICAL KIT

Black Frame with Black ESS Logo Clear, Smoke Gray, & Mirrored Copper Lenses Model #: EE9018-05



#### ROLLBAR™ POLARIZED MIRRORED GRAY

Black Frame with Silver ESS Logo Polarized Mirrored Gray Lenses Model #: EE9018-04



#### ROLLBAR™ SILVER LOGO

Black Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: EE9018-03



#### ROLLBAR™ APEL UNIT ISSUE KIT

Black Frame with Black ESS Logo Clear & Smoke Gray Lenses Retail APEL Kit #: EE9018-06 APEL Unit Issue Model #: EE9018-01 NSN #: 4240-01-630-8249



#### ROLLBAR™ TERRAIN TAN

Terrain Tan Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: EE9018-07



#### ROLLBAR™ POLARIZED MIRRORED BLUE

Black Frame with Satin Black ESS Logo Polarized Mirrored Blue Lenses Model #: EE9018-10

Rollbar Lens Tints		<u>VLT</u>	Model #
0	Clear	90%	740-0599
	Hi-Def Yellow	85%	740-0604
	Hi-Def Bronze	62%	101-286-003
	Mirrored Copper	23%	740-0602
<b>@</b>	Smoke Gray	15%	740-0600
0	Mirrored Gray	12%	740-0601
	Polarized Mirr. Blue	11%	101-286-004
	Polarized Mirr. Gray	9%	740-0603

Rx Custom Rx Available see page 41 or esseyepro.com/rx

#### INTERCHANGEABLE-LENS SUNGLASS













#### PRODUCT DESCRIPTION

The lightweight CDI™ sunglass features interchangeable lenses that can be easily swapped for quick adaptation to your environment. No-slip nosepads and temple arms help keep the CDI secure, even when wet. Custom Rx Inserts are also available.

Small-to-Medium Fit

#### LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-31013 (CLAUSE 3.5.1.1), ANSI Z87.1-2015, OSHA & CE EN166 EXCEPT POLARIZED PRODUCTS WHICH ONLY MEET ANSI Z87.1-2015 (IMPACT) & OSHA

## CDI MAX<sup>TM</sup>

#### INTERCHANGEABLE-LENS SUNGLASS









#### PRODUCT DESCRIPTION

The CDI MAX™ is a larger version of the popular CDI™, offering a wider field of view and broader coverage. As with the original CDI, the CDI MAX can adapt to any light environment by swapping lenses with the Lateral Exchange System™. CDI MAX's 2.4mm Polycarbonate lenses afford you maximum protection.

Medium-to-Large Fit

#### LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-31013 (CLAUSE 3.5.1.1), ANSI Z87.1-2015, OSHA & CE EN166

### CDI™ & CDI MAX™ CONFIGURATIONS



#### CDI™ BLACK

Black Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: 740-0296



#### CDI™ POLARIZED MIRRORED GRAY

Black Frame with Silver ESS Logo Polarized Mirrored Gray Lenses Model #: 740-0529



#### CDI MAX™ BLACK

Black Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: 740-0297



#### CDI™ TERRAIN TAN

Terrain Tan Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: 740-0458



#### CDI™ POLARIZED MIRRORED BLUE

Black Frame with Silver ESS Logo Polarized Mirrored Blue Lenses Model #: EE9002-02



#### CDI MAX™ TERRAIN TAN

Terrain Tan Frame with Silver ESS Logo Clear & Smoke Gray Lenses Model #: 740-0457



#### CDI™ TACTICAL KIT

Black Frame with Silver ESS Logo Clear, Smoke Gray & Mirrored Copper Lenses Model #: EE9019-02

<u>CDI Lens Tints</u>		<u>VLT</u>	Model #	
	100	Clear	90%	740-0185
	-	Hi-Def Yellow	85%	740-0186
	-	Hi-Def Bronze	62%	101-598-001
	-	Mirrored Copper	23%	740-0188
	1	Smoke Gray	15%	740-0320
	100	Mirrored Silver	14%	740-0187
	1	Mirrored Gray	12%	740-0505
	-	Polarized Mirr. Blue	11%	101-598-002
	1	Polarized Mirr. Gray	9%	740-0319
	Dv	Custom Dy Ausilable a	00 0000 41 0	

I MAX Lens Tints		<u>VLT</u>	Model #
B	Clear	90%	740-0412
9	Hi-Def Yellow	85%	740-0413
P	Hi-Def Bronze	62%	101-623-001
P	Hi-Def Copper	32%	740-0414
P	Smoke Gray	15%	740-0415
A.	Mirrored Silver	14%	740-0416

# 5B<sup>TM</sup>

#### **FIXED LENS SUNGLASS**













#### PRODUCT DESCRIPTION

The ESS 5B™ is far more than just another sunglass. With ballistic lenses, distortion-free optics, and all-day comfort, the 5B™ is the true embodiment of functional, fashionable eye pro. The frame features lowprofile temple arms for comfort with over-the-ear hearing protection, hats or helmets.

Medium Fit

#### LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166 EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA

#### CUSTOMIZABLE Rx PLATFORM



The ESS 5B frame can accommodate custom Rx filled lenses. See page 41 or visit esseyepro.com/rx

### 5B™ CONFIGURATIONS



5B™ BLACK SMOKE GRAY

Black Frame Smoke Gray Lenses Model #: EE9006-06



#### 5B™ REAPER WOODS SMOKE GRAY

Reaper Woods Camo Frame Smoke Gray Lenses Model #: EE9006-12



#### 5B™ TERRAIN TAN SMOKE GRAY

Terrain Tan Frame Smoke Gray Lenses Model #: EE9006-15



#### 5B™ BLACK MIRRORED COPPER

Black Frame Mirrored Copper Lenses Model #: EE9006-02



#### 5B™ REAPER WOODS MIRRORED COPPER

Reaper Woods Camo Frame Mirrored Copper Lenses Model #: EE9006-13



#### 5B™ GRAY MIRRORED GRAY

Gray Frame Mirrored Gray Lenses Model #: EE9006-05



### 5B™ POLARIZED MIRRORED GRAY

Black Frame Polarized Mirrored Gray Lenses Model #: EE9006-03



#### 5B™ REAPER WOODS POLARIZED MIRRORED BLUE

Reaper Woods Camo Frame Polarized Mirrored Blue Lenses Model #: EE9006-14





## **CREDENCE™**

**FIXED LENS SUNGLASS** 









#### PRODUCT DESCRIPTION

With Credence™, seeing is believing. This sunglass delivers a hefty dose of performance, protection and style. The broad lens wrap of the Credence provides a wide field of view through distortion-free, militarygrade polycarbonate. The frame features low-profile temple arms for comfort with over-the-ear hearing protection, hats or helmets.

Medium-to-Large Fit

#### LENSES

2.2MM HIGH-IMPACT POLYCARBONATE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166

#### CUSTOMIZABLE Rx PLATFORM



The ESS Credence frame can accommodate custom Rx filled lenses. See page 41 or visit esseyepro.com/rx

#### CREDENCE™ CONFIGURATIONS



CREDENCE™ BLACK SMOKE GRAY

Black Frame with Silver ESS Logo Smoke Gray Lenses Model #: EE9015-04



#### CREDENCE™ REAPER WOODS SMOKE GRAY

Reaper Woods Camo Frame with Silver ESS Logo Smoke Gray Lenses Model #: EE9015-13



#### CREDENCE™ BLACK MIRRORED BLUE

Black Frame with Silver ESS Logo Mirrored Blue Lenses Model #: EE9015-08



CREDENCE™ BLACK MIRRORED COPPER

Black Frame with Copper ESS Logo


### CREDENCE™ GRAY MIRRORED COPPER

Black Frame with Copper ESS Logo Mirrored Copper Lenses Model #: EE9015-02



#### CREDENCE™ TERRAIN TAN SMOKE GRAY

Terrain Tan Frame with Silver ESS Logo Smoke Gray Lenses Model #: EE9015-14



## **CROSSBOW**®

THE ANTI-FOG APEL EYESHIELD













#### PRODUCT DESCRIPTION

Militaries worldwide rely on the Crossbow® as their choice of eye protection. Crossbow's form, fit, and function have raised the bar in eye protection.

Universal Fit

#### LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166 EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA



#### CROSSBOW® GASKET

Airflow management for your Crossbow® Eyeshield



The Gasket insert fits snugly against the wearer's face to create a full seal to protect against wind, dust and airborne debris. Model #: 101-319-001

Approved by the Navy for all rotary wing operations.

#### CROSSBOW® CONFIGURATIONS



#### CROSSBOW® UNIT ISSUE KIT

Black Frame Clear & Smoke Gray Lenses APEL Unit Issue Model #: 740-0607 NSN #: 4240-01-630-8327



#### CROSSBOW® ONE POLARIZED

Black Frame Polarized Mirrored Gray Lenses Model #: 740-0494



#### CROSSBOW® ONE GRAY

Black Frame Smoke Gray Lens Model #: 740-0614



#### CROSSBOW® 2X KIT

Two Black Frames Clear & Smoke Gray Lenses Model #: 740-0504 APEL Retail Model #: 740-0386



#### CROSSBOW® ONE PHOTOCHROMIC

Black Frame Light-Adapting Photochromic Lens Model #: 740-0546



#### CROSSBOW® ONE CLEAR

Black Frame Clear Lens Model #: 740-0615



#### CROSSBOW® 2X KIT

Two Terrain Tan Frames Clear & Smoke Gray Lenses Model #: 740-0463



#### CROSSBOW® 3LS KIT

Black Frame

Clear, Smoke Gray & Hi-Def Yellow Lenses

Model #: 740-0387

Crossbow Lens Tints		<u>VLT</u>	Model #
^	Clear	90%	740-0425
^	Hi-Def Yellow	85%	740-0423
^	Hi-Def Bronze	62%	740-0509
_	Hi-Def Copper	32%	740-0426
	Smoke Gray	15%	740-0424
$\Lambda_{a}$	Photochromic	86-24%	740-0452
	Polarized Gray	15%	740-0455
	Laser Protective (LPL) -	Call for deta	ails



# SUPPRESSOR™

THE ANTI-FOG EYESHIELD FOR USE WITH HEARING PRO













#### PRODUCT DESCRIPTION

The Crossbow Suppressor™ is the first spectacle frame designed for use with over-the-ear hearing protection and comms gear. The Suppressor's ultra-thin temple arms help keep noise out and eliminate hot spots by minimizing interference with the padded seal of ear cups.

Universal Fit

#### LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166 EXCEPT POLARIZED LENSES WHICH MEET ANSI Z87.1-2015 (IMPACT) & OSHA

#### SUPPRESSOR™ Z-BEND GEOMETRY



Ultra-thin temple arms eliminate pressure on wearer's head and help keep noise out by minimizing the effect on the padded seal of ear cups.

### SUPPRESSOR™ CONFIGURATIONS



SUPPRESSOR™ 2X+ DELUXE KIT

Black Crossbow Frame & Black Suppressor Frame Clear, Smoke Gray & Hi-Def Copper Lenses Model #: 740-0388



#### SUPPRESSOR™ 2X KIT

Black Crossbow Frame & Black Suppressor Frame Clear & Hi-Def Copper Lenses Model #: 740-0475



#### SUPPRESSOR™ 2X KIT

Black Crossbow Frame & Black Suppressor Frame Clear & Smoke Gray Lenses Model #: 740-0451



#### SUPPRESSOR™ ONE HDC

Black Suppressor Frame Hi-Def Copper Lens Model #: 740-0472



#### SUPPRESSOR™ ONE GRAY

Black Suppressor Frame Smoke Gray Lens Model #: EE9007-03



#### SUPPRESSOR™ ONE CLEAR

Black Suppressor Frame Clear Lens Model #: EE9007-04

rossb	ow Lens Tints	<u>VLT</u>	Model #
^	Clear	90%	740-0425
^	Hi-Def Yellow	85%	740-0423
^	Hi-Def Bronze	62%	740-0509
^	Hi-Def Copper	32%	740-0426
	Smoke Gray	15%	740-0424
$\Lambda_{\sigma}$	Photochromic	86-24%	740-0452
	Polarized Gray	15%	740-0455
	Lanca Bantantina (LDL)	0-11 61-6-	91-

Laser Protective (LPL) - Call for details



BUILT FOR BATTLE. TOUGH FOR LIFE.™

# CROSSHAIR™ ENTRY LEVEL EYESHIELD

#### PRODUCT DESCRIPTION

This Crosshair™ is an entry level eyeshield that provides all day comfort and universal fit. The Crosshair benefits from complete compatibility with the ESS CrossSeries eyeshield platform for customization in any environment.

Universal Fit

#### LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166

#### CROSS-SERIES™ COMPONENTS

The ESS Cross-Series™ is a revolutionary new systems approach to ballistic eve protection. This fully crosscompatible eyeshield platform includes three products: the entry-level Crosshair™ with core performance, the elite



Crossbow® with premium anti-fog / anti-scratch lenses, and the adaptable Suppressor™ for use with hearing protection. All Cross-Series™ components and accessories can be interchanged between these three eyeshields. Engage. Adapt. Excel.

#### CROSSHAIR™ CONFIGURATIONS



#### CROSSHAIR™ 2X KIT

Two Black Frame Frames Clear & Smoke Gray Lenses Model #: EE9014-01 Retail APEL Kit #: EE9014-02



#### CROSSHAIR™ 3LS KIT

Black Frame Clear, Smoke Gray & Hi-Def Yellow Lenses Model #: EE9014-05



#### CROSSHAIR™ UNIT ISSUE KIT

Black Frame Clear & Smoke Gray Lenses APEL Unit Issue Model #: EE9014-11 NSN #: 4240-01-630-6352



#### CROSSHAIR™ ONE CLEAR

Black Frame Clear Lens Model #: EE9014-07



#### CROSSHAIR™ ONE SMOKE GRAY

Black Frame Smoke Gray Lens Model #: EE9014-08



#### Model # **VLT** ∧ Clear 90% 740-0479 85% 740-0477 Hi-Def Yellow 62% Hi-Def Bronze 740-0481 23% 740-0478 Hi-Def Copper

15%

740-0480

Crosshair Lens Tints

Smoke Gray



# CROSSBLADE™ NEW

MODULAR FIT EYESHIELD - REGULAR SIZE









# CROSSBLADE™ NARO NEW

MODULAR FIT EYESHIELD - SMALLER SIZE











#### PRODUCT DESCRIPTION

The new ESS Crossblade™ Eyeshield features advanced ClearZone™ Anti-fog coatings plus two different sized lens and nosepiece options to allow for customizable modular fit. With the modular fit system, the Crossblade™ can be set specifically to fit the end user's facial structure.

Universal Fit

#### LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166









#### CROSSBLADE™ MODULAR FIT SYSTEM





NARO Nosepiece REG. Nosepiece



REG. Lens

REG. Lens NARO Nosepiece REG. Nosepiece

Crossblade's two sizes create a Modular Fit System (Customizable for multiple facial structures)

#### CROSSBLADE™ CONFIGURATIONS



#### CROSSBLADE™ 2X KIT

Two Black Frames Clear & Smoke Gray Lenses Regular Model #: EE9032-03 NARO Model #: EE9034-03



#### CROSSBLADE™ 3LS KIT

Black Frame Clear, Smoke Gray & Hi-Def Yellow Lenses Model #: EE9032-07



#### CROSSBLADE™ ONE GRAY

Black Frame Smoke Gray Lens Model #: EE9032-08



#### CROSSBLADE™ 2X KIT

Two Terrain Tan Frames Clear & Smoke Gray Lenses Model #: EE9032-05



#### CROSSBLADE™ 2X+ KIT

Two Black Frames Clear, Smoke Gray & Hi-Def Copper Lenses Model #: EE9032-06



#### CROSSBLADE™ ONE CLEAR

Black Frame Clear Lens Model #: EE9032-09



#### CROSSBLADE™ UNIT ISSUE KIT

Black Frame Clear & Smoke Gray Lenses Regular Model #: EE9032-01 NARO Model #: EE9034-01 Deluxe Kit Model #: EE9032-10\*

Crossb	olade Lens Tints	<u>VLT</u>	Model #
^	Standard Clear	90%	102-189-004
	Standard Hi-Def Yellow	85%	102-189-006
	Standard Hi-Def Bronze	62%	102-189-008
	Standard Hi-Def Copper	23%	102-189-005
100	Standard Smoke Gray	15%	102-189-003
	NARO Clear	90%	102-190-003
	NARO Hi-Def Yellow	85%	102-190-005
	NARO Hi-Def Bronze	62%	102-190-007
	NARO Hi-Def Copper	23%	102-190-006
100	NARO Smoke Gray	15%	102-190-004
Replac	ement Nosepieces		Model #
1	Standard Black		102-324-001
1	Standard Terrain Tan		102-324-002
1	Standard UPLC Black		102-324-003
Δ	NARO Black		102-324-007
Δ	NARO Terrain Tan		102-324-006
1	NARO UPLC Black		102-324-008













The ESS Crossbow AFTM is designed specifically to fit Asian facial features. Featuring a flatter lens curve and nosepiece, the geometry of this eyeshield works to improve fit for faces with a shallower nosebridges and higher cheek structure.

Asian Fit

#### LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1-2015, OSHA & CE EN166

### CROSSBOW AF™ U-Rx KIT



A special Rx nosepiece, carrier and side-shields are included in kit for correct vision and maximum eye protection.

#### CROSSBOW AF™ CONFIGURATIONS



#### CROSSBOW AF™ 2LS KIT

Black Frame Clear & Smoke Gray Lenses Model #: EE9020-01



#### CROSSBOW AF™ ONE SMOKE GRAY

Black Frame Smoke Gray Lens Model #: EE9020-04



#### CROSSBOW AF™ ONE CLEAR

Black Frame Clear Lens

Model #: EE9020-05



#### CROSSBOW AF™ 3LS KIT

Black Frame.

Clear, Smoke Gray & Hi-Def Yellow Lenses

Model #: EE9020-07



#### CROSSBOW AF™ ONE SMOKE GRAY TERRAIN TAN

Terrain Tan Frame Smoke Gray Lens Model #: EE9020-02



#### CROSSBOW AF™ ONE CLEAR TERRAIN TAN

Terrain Tan Frame Clear Lens Model #: EE9020-03

Crossbow AF Lens Tints <u>VLT</u> Model # 101-804-001 ∧ Clear Smoke Gray 15% 101-804-002 Additional Accessory Items

102-324-007 Crossbow AF U-Rx kit - Black

Crossbow AF U-Rx kit - Terrain Tan 102-324-008

# ICETM & ICE NAROTM

**ORIGINAL ESS EYESHIELD** 









#### PRODUCT DESCRIPTION

ESS ICE™ & ICE NARO™ eyeshields offer a unique combination of impact resistance, unrestricted view, and interchangeable lenses for "frameless" eye protection in any light. Reinforced PosiLock™ temples provide a secure and adjustable fit through their pliable earwires and variable-length arms.

ICE NARO is approximately 10% narrower than the standard ICE and is engineered for smaller faces.

Note: ICE™ and ICE NARO™ are not part of the Cross-Series.


#### LENSES

2.4MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-31013 (CLAUSE 3.5.1.1), ANSI Z87.1 - 2015, OSHA & CE EN166

#### ICE NARO™ vs. ICE™



#### ICE™ & ICE NARO™ CONFIGURATIONS



#### ICE™ 2X KIT

Two Black Regular Frames Clear & Smoke Gray Lenses Model #: 740-0003



#### ICE™ TACTICAL KIT

Two Black Regular Frames Clear, Smoke Gray, & Hi-Def Copper Lenses Model #: 740-0007



#### ICE™ ONE SMOKE GRAY

Black Regular Frame Clear Lens Model #: 740-0440



#### ICE™ UNIT ISSUE KIT

Two Black Regular Frames Clear & Smoke Gray Lenses Model #: 740-0004



#### ICE™ 3LS KIT

Black Regular Frame Clear, Smoke Gray & Hi-Def Yellow Lenses Model #: 740-0020



#### ICE NARO™ 2X KIT

Two Black NARO Frames Clear & Smoke Gray Lenses Model #: 740-0001



#### ICE™ ONE CLEAR

Black Regular Frame Clear Lens Model #: 740-0007



# **INFLUX**<sup>TM</sup>

THE ANTI-FOG APEL GOGGLE













#### PRODUCT DESCRIPTION

By virtually eliminating lens fogging, the ESS Influx™ military goggle allows troops to maintain full situational awareness in dynamic tactical environments. As part of the goggle's patented Adjustable Ventilation System™ (AVS™), the Influx RotoClip™ silently pivots the position of the lens inside the goggle frame: choose either a dust-free, fully-sealed mode, or a fog-free, open-ventilation mode. With Influx™, troops can always see clearly and act fast when seconds count.

#### LENSES

3MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1 - 2015, OSHA & CE EN166

#### ADJUSTABLE VENTILATION SYSTEM (AVS)™



Lens pivots open to create airflow & Clicks shut to seal goggle

### INFLUX™ CONFIGURATIONS



#### INFLUX™ TERRAIN TAN

Terrain Tan Influx Frame Clear & Smoke Gray Lenses Model #: EE7018-02 APEL Unit Issue Model #: EE7018-04

APEL Retail #: EE7018-10 NSN #: 4240-01-630-6343

#### NEW



#### INFLUX™ ALPENGLOW

White Influx Frame with Fleece Face Foam Designed for Cold Weather Applications Clear, Smoke Gray, & Alpenglow Lenses Model #: EE9018-23



#### INFLUX™ BLACK

Black Influx Frame Clear & Smoke Gray Lenses Model #: EE9018-01



#### INFLUX™ FOLIAGE GREEN


Foliage Green Influx Frame Clear & Smoke Gray Lenses Model #: EE9018-07





#### AIRBOSS™

Gray Frame Full Strap with SpeedClips™ Designed for Use on Aircraft Carriers Clear & Smoke Gray Lenses Model #: EE9018-20



### PIVOT™ SERIES

RAPID ADJUSTABLE STRAP SYSTEM







#### PRODUCT DESCRIPTION

ESS Pivot™ Series provide a simple and adjustable solution for attaching ESS Influx™ & Profile™ NVG goggles to any helmet equipped with an ESS helmet-post. The Pivot™ strap replaces the standard full elastic strap with two pivoting adjustable side-straps. The Pivot™ goggles can rapidly-affixed in the field while wearing helmet and gloves, easy donning and doffing, multiple secure stowage options, and rapid strap adjustment.

#### LENSES

2.8 - 3MM HIGH-IMPACT POLYCARBONATE\* • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432, ANSI Z87.1 - 2015, OSHA & CE EN166

### PIVOT™ GOGGLE CONFIGURATIONS



#### INFLUX PIVOT™ BLACK

Model #: EE7018-19

Black Frame with Ops Core® ARC™ Mounting Kit Clear & Smoke Gray Lenses Model #: EE7018-18 Black without Mounting Kit Clear & Smoke Gray Lenses



#### PROFILE PIVOT™ FOR OPS CORE® ARC™

Gray Frame with Ops Core® ARC™ Mounting Kit Clear & Smoke Gray Lenses Model #: 740-0516





#### INFLUX PIVOT™ TERRAIN TAN

Terrain Tan Frame with Ops Core® ARC™ Mounting Kit Clear & Smoke Gray Lenses Model #: EE7018-21 Terrain Tan without Mounting Kit Clear & Smoke Gray Lenses

Model #: EE7018-22



#### PROFILE PIVOT™ TW GOGGLE

Gray Frame with Pivot Strap Clear & Smoke Gray Lenses Model #: EE9019-05



#### PROFILE PIVOT™ FOR ACH/MICH

Terrain Tan Frame with Mounting Kit for ACH / MICH Clear & Smoke Gray Lenses Model #: 740-0595

Accessory Strap Options	Model #
Influx Gray Pivot Strap Assembly	102-196-00
Influx Gray Pivot Strap	102-196-00
Influx Terrain Tan Pivot Strap Assembly	102-196-00
Influx Terrain Tan Pivot Strap	102-196-00
Profile Gray Pivot Strap Assembly	740-0495
Ops Core Rail Adapter Kit	740-0488

Team Wendy Rail Adapter available at www.teamwendy.com

\*PROFILE NVG LENSES ARE 2.8MM - INFLUX LENSES ARE 3MM

ESS PIVOT GOGGLE SYSTEM

Pivot™ Series goggles can be mounted to helmets equipped

with the Rail Systems. (Appropriate adapter required)

## PROFILE NVG™

**LOW PROFILE GOGGLE SERIES** 













#### PRODUCT DESCRIPTION

Battle tested in the most demanding theaters, the patented ESS Profile NVG™ is a low-profile, night-vision-compatible goggle authorized and issued by the U.S. Army, USMC, USAF, and numerous NATO governments. The goggle's full-perimeter ventilation and filtration system minimizes lens fogging and filters airborne particles, dust and splashes. Advanced ClearZone™ FlowCoat lenses provide an optimal combination of anti-scratch coatings on the outside of the lens and anti-fog coatings on the inside.

#### LENSES

2.8MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432. ANSI Z87.1 – 2015. OSHA & CE EN166

#### PROFILE NVG™ FULL-PERIMETER VENTILATION



Full-perimeter ventilation and filtration system minimizes lens fogging and filters airborne particles, dust and splashes.

#### PROFILE NVG™ CONFIGURATIONS



#### PROFILE NVG™ TERRAIN TAN

Terrain Tan NVG Frame Clear & Smoke Gray Lenses Model #: 740-0500 APEL Unit Issue Model #: 740-0609 APEL Retail #: 740-0127 NSN #:4240-01-630-7259



#### PROFILE TURBOFAN™ BLACK

Black TurboFan Frame Clear & Smoke Gray Lenses Model #:740-0131



#### PROFILE NVG™ ASIAN FIT

Black Asian Fit Frame Clear & Smoke Gray Lenses Model #: 740-0123



#### PROFILE NVG™ BLACK

Black NVG Frame Clear & Smoke Gray Lenses Model #: 740-0499 APEL Unit Issue Model #: 740-0124 NSN #: 4240-01-504-6222



#### PROFILE NVG™ FOLIAGE GREEN

Foliage Green NVG Frame Clear & Smoke Gray Lenses Model #: 740-0501 APEL Unit Issue Model #: 740-0129 NSN #: 4240-01-540-5585




#### FLIGHT PRO™

Gray Frame - Aircraft Carrier Deck Goggle Clear & Smoke Gray Lenses Model #: 740-0410 NSN #: 1680-01-602-5906



#### PROFILE TURBOFAN™ ASIAN FIT

Black Asian Fit TurboFan Frame Clear & Smoke Gray Lenses Model #: 740-0132



# STRIKER™ SERIES

MILITARY/TACTICAL GOGGLE SERIES













#### PRODUCT DESCRIPTION

The ESS Striker™ Series is for use over prescription eyewear. Featuring closed-cell facepadding for superior durability, easy of cleaning and long-lasting comfort. Full-perimeter Hi-Flow™ ventilation & filtration system permits airflow while filtering out airborne particles, air blasts, and splashes. The ESS Land Ops™ is one of the only goggles authorized by the U.S. Army for use over prescription eyewear.

#### LENSES

2.6MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

U.S. MIL SPEC MIL-PRF-32432. ANSI Z87.1 – 2015. OSHA & CE EN166

#### STRIKER™ GOGGLES



Roomy frame fits over user's prescription glasses.

#### STRIKER™ CONFIGURATIONS



#### LAND OPS™ TERRAIN TAN

Terrain Tan Striker Frame Clear & Smoke Gray Lenses APEL Retail #: 740-0207 APEL Unit Issue Model #: 740-0206 NSN #: 4240-01-540-5580



#### FLIGHT DECK™

Gray Striker Frame - Aircraft Carrier Deck Goggle Clear & Smoke Gray Lenses Model #: 740-0333 Unit Issue #: 740-0197 NSN #: 4240-01-492-5720



#### LAND OPS™ FOLIAGE GREEN

Foliage Green Striker Frame Clear & Smoke Gray Lenses Model #: 740-0502 APEL Unit Issue Model #: 740-0202 NSN #: 4240-01-540-5576



TACTICAL XT™ BLACK

Black Striker Frame Clear Lens Model #: 740-0243



### STRIKER™ ASIAN FIT

Black Asian Fit Striker Frame Clear & Smoke Gray Lenses Model #: 740-0247

> Striker Lens Tints <u>VLT</u> Model # 740-0192 740-0315 Smoke Gray 740-0227

Model #

740-0585

740-0190

740-0228

# STRUCTURAL FIRE SERIES

NFPA 1971 CERTIFIED FIREFIGHTING GOGGLES











#### PRODUCT DESCRIPTION

ESS Structural goggles can be worn alone, on a helmet, or in conjunction with faceshields or flip-downs. ESS Structural goggles are compliant with NFPA 1971-2013, including the 500°F for 5-minute oven test. The goggle's full-perimeter ventilation and filtration system minimizes lens fogging and filters airborne particles, dust and splashes. The patented Speed-Clip™ strap system facilitates quick strap adjustment, even with gloves on.

#### LENSES

2.6 -2.8MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS CLEARZONE™ ANTI-FOG/ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

NFPA 1971-2013 EDITION • ANSI Z87.1-2015 • U.S. FEDERAL OSHA

#### INNERZONE SERIES



The Innerzone™ Structural goggles can accommodate fitting over most prescription eyewear.

#### FIREPRO 1971™ & INNERZONE™ CONFIGURATIONS



#### FIREPRO-1971 EX-1™

Gray NFPA Compliant 1971 Frame 2-Piece Strap with Thumb-Screw Mounting Brackets Model #: 740-0536



#### INNERZONE-1™

Grav NFPA Compliant 1971 Frame 2-Piece Strap with Thumb-Screw Mounting Brackets Model #: 740-0264



#### FIREPRO-1971 EX-2™

Gray NFPA Compliant 1971 Frame 2-Piece Strap with Snap-On/Snap-Off Mounting Brackets Model #: 740-0535



#### INNERZONE-2™

Gray NFPA Compliant 1971 Frame 2-Piece Strap with Snap-On/Snap-Off Mounting Brackets Model #: 740-0268



#### FIREPRO-1971 FS™

Gray NFPA Compliant 1971 Frame With Full Strap and Two Velcro Tabs Model #: 740-0537



#### INNERZONE-3™

Grav NFPA Compliant 1971 Frame With Full Strap and Two Velcro Tabs Model #: 740-0273

### Accessory Items

FirePro 1971 Clear Lens Innerzone 1971 Clear Lens







740-0251

740-0251

### FIREPRO-1977™

LOW-PROFILE WILDLAND GOGGLE









#### PRODUCT DESCRIPTION

The ESS FirePro-1977™ goggle series features a low-profile design that prevents helmet interference and increases peripheral vision. The patented Speed-Clip™ system facilitates quick strap adjustment, even with gloves on. All goggle components are heat and flame resistant, including the durable OpFoam™ face padding. All ESS FirePro-1977™ Goggles are certified as compliant with NFPA 1977-2016 Edition, including the 350°F for 5-minute oven test. Tear-Off Lens Covers are available as accessories.

#### LENSES

2.8MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONETM ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICSTM

#### BALLISTIC PROTECTION STANDARDS

NFPA 1977-2016 EDITION • ANSI Z87.1-2015 • U.S. FEDERAL OSHA

# STRIKETEAM™ SERIES

WILDLAND & EXTRACTION GOGGLES







#### PRODUCT DESCRIPTION

The ESS Striketeam™ Series is a high-performance goggle line intended for Wildland Firefighting, Rescue, and EMS applications. All Striketeam™ models offer the highest level of comfort, optical clarity and impact protection. All goggle components are heat and flame resistant, including the face padding and vent foam. The patented Speed-Clip™ system adapts to all wildland and rescue helmets and facilitates quick strap adjustment, even with gloves on.

#### LENSES

2.6MM HIGH-IMPACT POLYCARBONATE • INTERCHANGEABLE • 100% UVA/UVB PROTECTION ESS TOUGHZONE™ ANTI-SCRATCH LENS COATING • DISTORTION-FREE ESSOPTICS™

#### BALLISTIC PROTECTION STANDARDS

ANSI Z87.1-2015 • U.S. FEDERAL OSHA

#### FIREPRO 1977™ & STRIKETEAM™ CONFIGURATIONS



#### FIREPRO-1977 FS™

Grav NFPA Compliant 1977 Frame With Full Strap and Two Velcro Tabs Model #: 740-0377



#### STRIKETEAM XTOTM

Grav Striker Frame With Full Strap and Closed-Cell Face Padding Model #: 740-0283



#### X-TRICATOR™

Grav Striker Frame 2-Piece Strap with Snap-On/Snap-Off Mounting Brackets Model #: 740-0287



#### FIREPRO-1977 EX™

Grav NFPA Compliant 1977 Frame 2-Piece Strap with Snap-On/Snap-Off Mounting Brackets Model #: 740-0378



#### STRIKETEAM SJ™

Grav Striker Frame With Full Strap and Open-Cell Face Padding and Fully-Sealed Vents for Maximum Smoke Resistance Model #: 740-0235



#### FIREPRO-1977 AF™

Gray NFPA Compliant 1977 Asian Fit Frame With Full Strap and Two Velcro Tabs Model #: 740-0380



#### STRIKETEAM WF™

**●** Snap on/ off bracket

Grav Striker Frame With Full Strap and No Face Padding Model #: 740-0236

<u>Access</u>	Model #	
	FirePro 1977 Clear Lens	740-0562
	Innerzone 1971 Clear Lens	740-0190
0	Nomex® Heat Sleeve	740-0228
0	Striker tear-offs	740-0246
金币	Semi-Permanent Bracket	740-0201

### RX SUNGLASSES





ROLLBAR™ RX Black Rollbar Frame Customizable Interchangeable Rx Lenses



CDI™ RX INSERT\*\* Customizable Interchangeable Rx Lenses



CREDENCE™ RX Black & Gray Frames Available Customizable Fixed Rx Lenses



5B™ RX Black & Gray Frames Available Customizable Fixed Rx Lenses

### ESS RX FILLING SERVICE is available at www.esseyepro.com/rx

ESS PRESCRIPTION EYEWEAR COMPATIBILITY MATRIX										
R <sub>X</sub> Compat		Influx Goggles Influx Influx Pivot	Profile Series Profile NVG Profile TurboFan Profile Pivot Flight Pro	FirePro Series FirePro 1971 FirePro 1977	Eyeshields Crossbow Suppressor Crosshair ICE & ICE NARO	<b>Crossblade</b> Crossblade	Crossbow Gasket Crossbow Gasket	<b>Crossbow AF</b> Crossbow AF	<b>CDI Sunglass</b> CDI	Sunglasses 5B Credence Rollbar
Model	Rx Range*		-		IGE & IGE NATIO					
U-Rx Rx Insert	+11/-11	•	•	•	•					
Vice Rx Insert	+6/-6				•					
Crossbow AF Rx	+6/-6							•		
CDI Rx Inserts	+5.5/-6								•	
Rx-Ready Sunglasse	s (Varies)									•
U.S. Army UPLC		•	•	•	•	•	•			

\*Range of prescription may vary based on the filling service you use. \*\*Use of Rx inserts renders the CDI sunglass non-compliant with MIL-PRF-32432 & ANSI Z87.1.

## **RX INSERTS**



Many ESS products are compatible with Rx inserts which fit behind your eye pro's primary lenses. To identify Rx insert-compatible products, look for the Rx Insert Available symbol or reference the chart on the previous page.



### **U-RX™ INSERT**

The U-Rx™ Prescription Lens Insert was developed to be the most comprehensive and adaptable Rx solution ever made. This universal Rx carrier is the first to interchange across brands in a wide variety of ESS and Oakley® ballistic eyeshields and goggles. The U-Rx is compatible with the Oakley® Ballistic M-Frame 2.0 / 3.0 and Oakley® SI Ballistic Goggle.






### **VICE™ RX INSERT**

The wire & monofilament-framed Vice™ Rx Lens Insert snaps into a Crossbow®, Crosshair™, Suppressor™, ICE™, or ICE NARO™ eyeshield for a low-profile, lightweight prescription integration. This allows one prescription carrier to work in multiple products.



If not using ESS Rx Filling Service, ESS strongly recommends the use of Polycarbonate lenses in prescription inserts. Rx filling should always be done in an ANSI-compliant lab. Range of prescription inserts may vary based on the filling service you use.





# ESS U.S. NSN LIST

Product Description	Model #	U.S. NSN #	
Crossbow Spectacles (Universal Fit)			
rossbow: Eyeshield w/ Clear & Gray lenses, UPLC Nosepiece & MOLLE Case	740-0607	4240-01-630-8327	Marine Parties Arrest
	740 0400	4040 04 E07 7E40	METADA PROPERTY.

Ci Ossbow Speciacies (Officer sai 1 ic)			
Crossbow: Eyeshield w/ Clear & Gray lenses, UPLC Nosepiece & MOLLE Case	740-0607	4240-01-630-8327	METADO DE DE PORTO DE LA COMPANSIONE DEL COMPANSIONE DE LA COMPANSIONE DE LA COMPANSIONE DE LA COMPANS
Crossbow Replacement Lens: Single-Pack Clear	740-0486	4240-01-587-7512	METHOD IN COMMENT OF THE PARTY
Crossbow Replacement Lens: Single-Pack Smoke Gray	740-0487	4240-01-587-7516	mercept mercept crimas ar nest armen
Crossbow Replacement Lenses: 10-Pack Clear	740-0421	4240-01-583-5748	St. Parts Character Character Character
Crossbow Replacement Lenses: 10-Pack Smoke Gray	740-0420	4240-01-583-5786	mercebia mercebi crystale ger nerg annung
Crossbow Replacement Frame: Black	740-0446	4240-01-583-5973	menters menters common der ment accumen
Crossbow Replacement Nosepiece	740-0473	NSN- TBD	METADO DE PORTO DE LA COMPANSA DE LA
Crossbow MOLLE Replacement Case	740-0445	4240-01-583-5969	ACCURATE ACC

### Crosshair Spectacles (Universal Fit)

Crosshair: Eyeshield w/ Clear & Gray lenses, UPLC Nosepiece & MOLLE Case	EE9014-11	4240-01-630-6352	MATERIAL AND
Crosshair Replacement Lens: Single-Pack Clear	740-0479	4240-01-632-5140	MITTER BLD MITTER BUT STEERING ACCURATE ACCURATE
Crosshair Replacement Lens: Single-Pack Smoke Gray	740-0480	4240-01-632-5144	METALONS PROTECTION COMMISSION APPRINCED
Crosshair Replacement Lenses: 10-Pack Clear	740-0482	4240-01-632-5857	METERS BY THE PROPERTY OF T
Crosshair Replacement Lenses: 10-Pack Smoke Gray	740-0483	4240-01-632-5864	MATERIAL STATES
Crosshair Replacement Frame: Black	600-791-002	4240-01-632-5130	market for Annual Con 1770 Annual Per mark Toronto
Crosshair Replacement Nosepiece	101-307-001	4240-01-633-4210	MACRO BOX CYCURAL OPERATOR
Crosshair MOLLE Replacement Case	101-295-001	4240-01-633-3562	mentales marcoles copiese promotes accuses

Rullbar, Spectacles (Officersal Lit)			
Rollbar Unit Issue: Spectacle w/ Clear & Gray Lenses & MOLLE Case	EE9018-01	4240-01-630-8249	per news per news per news account
Rollbar Replacement Lenses: Single-Pack Clear	740-0599	4240-01-632-5147	mention marks for system pr sens assume
Rollbar Replacement Lenses: Single-Pack Smoke Gray	740-0600	4240-01-632-5164	mentales recordes contact of these areas
Rollbar Replacement Lenses: 10-Pack Clear	101-286-002	4240-01-632-5867	METALES MATERIAL STREET ASSESSED
Rollbar Replacement Lenses: 10-Pack Smoke Gray	101-286-001	4240-01-632-5874	METALES PRESCRIPTION AND MARK AND MARK AND MARK
Rollbar Replacement Frame: Black	600-915-002	4240-01-632-8150	METALDER MATERIAL STREET ACCURATE ACCURATE
Rollbar Replacement Case	200-236-001	4240-01-633-3547	METERS DE LA COMPANION DE LA C



Product Description	Model #	U.S. NSN #
ICE Spectacles (Regular Size)		
ICE-2X: Dual-Eyeshield Premium Kit w/ Clear & Smoke Gray Lenses	740-0004	4240-01-554-5699
ICE Replacement Lenses: 50-Pack Clear	740-0072	4240-01-525-4819
ICE Replacement Lenses: 50-Pack Smoke Gray	740-0087	4240-01-525-5098
ICE Replacement Frame & Nosepiece Kit: Black	740-0082	4240-01-525-5095

#### ICE NARO Spectacles (Regular Size)

ICE-2X NARO: Dual-Eyeshield Premium Kit w/ Clear & Smoke Gray Lenses	740-0002	4240-01-554-5696
ICE NARO Replacement Lenses: 50-Pack Clear	740-0075	4240-01-549-0863
ICE NARO Replacement Lenses: 50-Pack Smoke Gray	740-0076	4240-01-549-0876
ICE NARO Replacement Frame & Nosepiece Kit: Black	740-0083	4240-01-549-0934

#### Rx Inserts & Other Accessories

UPLC Adapter, Influx goggle	100-947-001	4240-01-633-4301	OFFICE OFFICE OFFI OFFI OFFI OFFI OFFI OFFI OFFI OFF
UPLC Adapter, Profile NVG Goggle	100-794-001	4240-01-630-2562	######################################
UPLC Nosepiece, Crossbow & Crosshair	740-0596	4240-01-630-2574	OTHER DESIGNATION DESIGNATION DESIGNATION
U-Rx Universal Insert (For Profile, Crossbow, ICE & ICE NARO): Nylon Frame	740-0411	6540-01-584-0170	
U-Rx Universal Insert (For Profile, Crossbow, ICE & ICE NARO): 25-Pack	740-0444	6540-01-584-0176	
P-2B Rx Insert (For Profile, Crossbow, ICE & ICE NARO): Nylon Frame	740-0310	6540-01-525-4784	
Goggle (GNRC) TTAN Replacement Bag	101-312-001	4240-01-633-0955	ACTION ACTION ACTION
Microfiber Sunglass Bag	740-0560	4240-01-633-3498	ACTION ACTION
Replacement Semi-Rigid Case (For ICE & ICE NARO): Black	740-0081	4240-01-518-9838	
Replacement Elastic Retention Strap, Single	740-0565	4240-01-623-2660	######################################
Replacement Elastic Retention Strap, 25-pack	740-0254	4240-01-525-4777	007003 007003 401000 401000
Anti-fog solution, Single	101-314-001	4240-01-633-0950	ACTION ACTION
ClearZone Anti-Fog Wipes: 25-Pack	740-0209	4240-01-525-5107	ACTIONS OFFICE OFFI ACTION

# ESS U.S. NSN LIST

Product Description	Model #	U.S. NSN #	
Influx Series Goggles (Universal Fit)			
Influx Goggle w/ UPLC adapter, SpeedSleeve & Case: Tan 499	EE7018-04	4240-01-630-6343	METHOD BY WESTER WESTER ANNUAL ANNUAL
Influx Series Replacement Lens: Single-Pack Clear	101-289-002	4240-01-632-5230	MATERIAL MATERIAL MATERIAL MATERIAL ANNOUNCE
Influx Series Replacement Lens: Single-Pack Smoke Gray	101-289-001	4240-01-632-5237	METRODO METRODO OTRAM QUI NAVA AMMERIO
Influx Series Replacement Lenses: 10-Pack Clear	101-290-002	4240-01-632-6923	MATERIAL STREET
Influx Series Replacement Lenses: 10-Pack Smoke Gray	101-290-001	4240-01-632-6927	MARKET STATES
Influx Goggle Replacement Frame: Tan 499	101-301-001	4240-01-632-8181	OFFICE AND ADDRESS OF THE PERSON OF T
Influx Goggle Replacement Strap: Tan 499	101-311-001	4240-01-633-4340	mentales orman griners annual
Influx Goggle Replacement SpeedSleeve : Tan 499	101-310-001	4240-01-633-3513	AMBRED

### Profile Series Goggles (Universal Fit)

Profile NVG Goggle w/ UPLC adapter, SpeedSleeve & Case: Tan 499	740-0609	4240-01-630-7259
Profile NVG Goggle w/ MultiCam SpeedSleeve : OCP	740-0496	4240-01-604-2788
Profile NVG Goggle w/ SpeedSleeve & Case: Foliage Green	740-0129	4240-01-540-5585
Profile NVG Goggle w/ SpeedSleeve & Case: Black	740-0124	4240-01-504-6222
Flight Pro Goggle: Gray	740-0410	1680-01-602-5906
Profile NVG Replacement Lens: Single-Pack Clear	740-0113	4240-01-587-8420
Profile NVG Replacement Lens: Single-Pack Smoke Gray	740-0119	4240-01-587-7640
Profile NVG Replacement Lens: 10-Pack Clear	101-288-002	4240-01-632-6907
Profile NVG Replacement Lens: 10-Pack Smoke Gray	101-288-001	4240-01-632-6914
Profile NVG Replacement Frame w/ MultiCam SpeedSleeve: OCP	740-0534	4240-01-604-2791
Profile NVG Replacement Frame: Tan 499	600-520-002	4240-01-641-7798
Profile NVG Replacement Frame: Foliage Green	740-0464	4240-01-587-7565
Profile NVG Replacement Frame: Black	740-0465	4240-01-587-7520
Profile NVG Tan 499 Replacement Strap	101-308-001	4240-01-633-4339
Profile NVG Tan 499 Replacement AR Sleeve	101-309-001	4240-01-633-3504

Land Ops Replacement Frame w/ Speed Sleeve Tan 499



Product Description	Model #	U.S. NSN #	
Striker Series Goggles (Universal Fit)			
Land Ops Goggle w/ SpeedSleeve & Case: Tan 499	740-0206	4240-01-540-5580	METERS MATERIAL AND AND
Land Ops Goggle w/ SpeedSleeve & Case: Foliage Green	740-0202	4240-01-540-5576	
Vehicle Ops Goggle w/ SpeedSleeve & Case: Black	740-0248	4240-01-525-5101	
Flight Deck Goggle: Gray	740-0197	4240-01-492-5720	
Land Ops Replacement Lens: Single-Pack Clear	740-0192	4240-01-632-5238	ners oran Ess
Land Ops Replacement Lens: Single-Pack Smoke Gray	740-0227	4240-01-632-5240	20' to
Land Ops Replacement Lens: 10-Pack Clear	101-287-002	4240-01-632-6934	00000 00000 00000 00000
Land Ops Replacement Lens: 10-Pack Smoke Gray	101-287-001	4240-01-632-6936	201 to 200 to 20
Striker Series Replacement Lens: 50-Pack Smoke Gray	740-0226	4240-01-492-5725	
Striker Series Replacement Lens: 50-Pack Clear	740-0191	4240-01-492-5722	

#### ESS - U.S. MILITARY REGIONAL DIRECTORS & ADVISORS

COL (ret) Jack Carpenter	ESS National Guard & Reserve Component Director	jack@esseyepro.com
CSM [ret] Mike Turner	ESS Western Regional Military Director	mt@esseyepro.com
CSM [ret] Carl Christian	ESS Eastern Regional Military Director	carl@esseyepro.com
CSM [ret] Brunk Conley	ESS Deputy Director, National Guard & Reserve	brunk.conley@esseyepro.com

For Customer Service inquiries, please contact ESS at ess@esseyepro.com or visit www.esseyepro.com

#### Other Purchasing Info:






740-0467



4240-01-633-3347



### ESS NATO STOCK NUMBER (NSN) LIST

**Product Description** 



#### Crossbow Spectacles

Crossbow 2LS: Clear, Smoke Gray Lenses & Case	740-0390	4240-01-583-9497
Crossbow 3LS: Clear, Smoke Gray, Hi-Def Yellow Lenses & Case	740-0387	8465-01-583-9799
Crossbow Replacement Lenses: 10-Pack Clear	740-0421	4240-01-583-5748
Crossbow Replacement Lenses: 10-Pack Smoke Gray	740-0420	4240-01-583-5786
Crossbow Replacement Lens: Single-Pack Hi-Def Yellow	740-0423	4240-01-610-5884
Crossbow Replacement Lens: Single-Pack Hi-Def Bronze	740-0509	4240-01-610-5886
Crossbow Rigid MOLLE Replacement Case: Black	740-0445	4240-01-583-5969
Crossbow Replacement Frame: Black	740-0446	4240-01-583-5973

Crossbow Suppressor 2X: 1 Suppressor, 1 Crossbow & Case	740-0451	4240-01-594-0564
---	----------	------------------

Crosshair 3LS: Black w/ Clear, Smoke Gray, Hi-Def Yellow Lenses & Case	EE9014-05	6930-01-594-0570
Crosshair 2LS: Black w/ Clear, Smoke Gray Lenses & Case	EE9014-04	6930-01-594-0575

#### ICE Spectacles

ICE-2LS: Clear, Smoke Gray Lenses & Case	740-0015	4240-01-573-1934	NZS NL
ICE-2X: 2 Frames w/ Clear, Smoke Gray Lenses & Case	740-0004	4240-01-554-5699	ME NL
ICE-3LS: Clear, Smoke Gray, Hi-Def Yellow Lenses & Case	740-0019	4240-01-545-7922	NE NL
ICE Replacement Lenses: 50-Pack Smoke Gray	740-0087	4240-01-525-5098	NE NL
ICE Replacement Lenses: 50-Pack Clear	740-0072	4240-01-525-4819	NE NE
ICE Replacement Frame & Nosepiece Kit: Black	740-0082	4240-01-525-5095	NZS NL

#### ICE NARO Spectacles

ICE TARTE OPECIACIES		
ICE-2 NARO: Clear, Smoke Gray Lenses & Case	740-0008	4240-01-537-6143
ICE-3LS NARO: Clear, Smoke Gray, Hi-Def Yellow Lenses & Case	740-0017	4240-01-545-7923
ICE NARO Replacement Frame & Nosepiece Kit: Black	740-0083	4240-01-549-0934
Replacement Semi-Rigid Case (For ICE Series): Black	740-0081	4240-01-518-9838

Products shown with this symbol NSPA NLSE:



### **Product Description**

Sunglasses: Clear, Smoke Gray Lenses & Case: Black	740-0296	4240-01-545-7925
MAX Sunglasses: Clear, Smoke Gray Lenses & Case: Black	740-0297	8465-01-583-9788

#### Profile Series Goggles

Profile NVG w/ SpeedSleeve & Case: Foliage Green	740-0401	4240-01-573-1926	NSPA NLSE
Profile NVG w/ SpeedSleeve & Case: Black	740-0404	4240-01-573-1936	NSPA NLSE
Profile NVG w/ SpeedSleeve & Case: Black w/ 3 Lenses	740-0397	8465-01-576-7741	NSPA NLSE
Asian-Fit Profile NVG w/ SpeedSleeve & Case: Black	740-0123	8465-01-588-5803	NSPA NLSE
Profile TurboFan Goggle w/ SpeedSleeve & Case: Black	740-0131	4240-01-546-0323	NSPA NLSE
Profile Series Replacement Lenses: 50-Pack Clear	740-0114	4240-01-504-5641	NSPA NUSE
Profile Series Replacement Lenses: 50-Pack Smoke Gray	740-0120	4240-01-504-6143	NSPA NUSE

#### Striker Series Goggles

Land Ops Goggle w/ SpeedSleeve & Case: Foliage Green	740-0402	4240-01-573-1930	NSP/ NLS
Vehicle Ops Goggle w/ SpeedSleeve & Case: Black	740-0403	4240-01-573-1931	NSP/ NLS
Flight Deck Goggle: Gray	740-0197	4240-01-492-5720	
Striker Series Replacement Lenses: 50-Pack Smoke Gray	740-0226	4240-01-492-5725	NSP/ NLS
Striker Series Replacement Lenses: 50-Pack Clear	740-0191	4240-01-492-5722	NGP/ NLSI

#### Bx Inserts & Other Accessories

TIX [Haci to & Other Accessories			
U-Rx Universal Insert (For Profile, Cross-Series & ICE Series): Nylon Frame	740-0411	6540-01-584-0170	NGP/ NLSI
U-Rx Universal Inserts (For Profile, Cross-Series & ICE Series): 25-Pack	740-0444	6540-01-584-0176	
P-2B Rx Insert (For Profile, Cross-Series & ICE Series): Nylon Frame	740-0310	6540-01-525-4784	NSP/ NLS
Vice Rx Insert (For Advancer, Cross-Series & ICE Series): Wire Frame	740-0308	6540-01-545-7927	NGP/ NLSI
Replacement Elastic Straps (For Cross-Series, ICE Series): 25-Pack	740-0254	4240-01-525-4777	
ClearZone Anti-Fog Wipes: 25-Pack	740-0209	4240-01-525-5107	





Each year, between 140 and 160 officers are killed in the line of duty and their families and coworkers are left to cope with the tragic loss. C.O.P.S. provides resources to help them rebuild their shattered lives. There is no membership fee to join C.O.P.S., for the price paid is already too high. C.O.P.S.

is governed by a National Board of law enforcement survivors. All programs and services are administered by the National Office in Camdenton, Missouri, C.O.P.S. has over 50 Chapters nationwide that work with survivors at the grass-roots level. www.nationalcops.org



HG Military uses therapeutic recreation to facilitate a change in perspective, giving injured service members the physical skills, confidence, and coping strategies necessary for a successful reintegration into their families and home communities. HG is recognized as one of the premier rehabilitation

programs in the country by the Department of Defense, military medical centers, and veteran service organizations. We serve military personnel and veterans with Traumatic Brain Injuries (TBIs), Post Traumatic Stress (PTS) and other polytrauma. www.highergroundsv.org/military-programs

#### NATIONAL FALLEN FIREFIGHTERS FOUNDATION



Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit Foundation has developed and expanded programs that fulfill that mandate. Our mission is to honor and remember America's fallen fire heroes

and to provide resources to assist their survivors in rebuilding their lives and work within the fire service community to reduce firefighter deaths and injuries. www.firehero.org

www.esseyepro.com

